

Late (3rd) Or No Prenatal Care

Late (3rd) Or No Prenatal Care

- Most recent data (2012): 4.5 per 100 births, including 1,054 newborns.
- Trend over time: 2000-07: rising; 2007-12: flat
- Description: Prenatal care began in the third trimester of pregnancy or received no prenatal care at all.

Late (3rd) or no prenatal care, King County, 2008-2012 average

	Rate	Lower CI	Upper CI	Count per Year
King County (all ages)	4.9	4.8	5.0	1103
MOTHER'S AGE				
10-17	12.8	10.9	14.9	33
18-24	8.7	8.3	9.1	319
25-34	4.2	4.1	4.4	556
35-44	3.6	3.3	3.8	190
45+	5.3	3.4	8.0	5
RACE/ETHNICITY				
AIAN	9.2	7.3	11.5	16
Asian	4.0	3.7	4.3	168
Black	7.9	7.4	8.5	148
Hispanic	6.5	6.2	7.0	208
Multiple	5.8	5.1	6.6	48
NHPI	17.0	15.1	19.0	60
White	4.3	4.2	4.5	642
NEIGHBORHOOD POVERTY				
High	7.3	6.9	7.7	268
Medium	4.7	4.6	4.9	676
Low	3.3	3.1	3.6	151
REGION				
East	3.9	3.7	4.1	214
North	3.2	2.7	3.7	35
Seattle	3.4	3.2	3.6	220
South	6.6	6.4	6.9	626

Comparisons:

- Higher than King County rate (yellow)
- Lower than King County rate (green)

Notes:

Source: WA State DOH, Center for Health Statistics, Birth Certificates.

Prepared by Public Health - Seattle & King County, APDE, 01/2015.

*Rate = per 100 live births.


CI is 95% Confidence Interval.

* Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution.

Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

Late (3rd) or no prenatal care King County, 2008-2012 average



Source: WA State DOH, Center for Health Statistics, Birth Certificates.
Prepared by Public Health - Seattle & King County, APDE, 01/2015.

[^]Rate = per 100 live births.

|-----| Confidence interval shows range that includes true value 95% of the time.

* Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution.

Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

Late (3rd) or no prenatal care by comparison areas

There is no Healthy People 2020 Objective for late (3rd) or no prenatal care.

	Latest Available Year	Rate	Lower CI	Upper CI
United States	2010	6.2	N/A	N/A
WA State	2012	4.7	4.5	4.8
King County	2012	4.5	4.2	4.8

Notes:

Source: WA State DOH, Center for Health Statistics, Birth Certificates.


Prepared by Public Health - Seattle & King County, APDE, 01/2015.

*Rate = per 100 live births.

N/A: Not available.

CI is 95% Confidence Interval.

Late (3rd) or no prenatal care by comparison areas



Source: WA State DOH, Center for Health Statistics, Birth Certificates.

Prepared by Public Health - Seattle & King County, APDE, 01/2015.

[^]Rate = per 100 live births.

|-----| Confidence interval shows range that includes true value 95% of the time.

Late (3rd) or no prenatal care by health reporting areas, King County, 2008-2012 average

	Rate	Lower CI	Upper CI	Count per Year
King County (all ages)	4.9	4.8	5.0	1103
Auburn	7.0	6.2	7.8	61
..Auburn-North	7.5	6.5	8.7	36
..Auburn-South	6.3	5.3	7.5	25
Bear Creek/Carnation/Duvall	2.8	2.2	3.5	14
Bellevue	5.6	5.1	6.2	81
..Bellevue-Central	6.1	5.2	7.1	32
..Bellevue-NE	5.6	4.6	6.8	22
..Bellevue-South	3.8	2.8	5.1	9
..Bellevue-West	6.2	5.0	7.7	17
Black Diamond/Enumclaw/SE County	4.5	3.6	5.4	19
Bothell/Woodinville	2.6	1.9	3.5	9
Burien	6.9	6.0	7.8	45
Covington/Maple Valley	4.5	3.8	5.3	28
Des Moines/Normandy Park	6.5	5.4	7.7	27
East Federal Way	7.1	6.0	8.3	29
Fairwood	4.8	3.7	6.1	13
Federal Way	8.3	7.6	9.1	105
..Fed Way-Central/Military Rd	8.4	7.5	9.3	69
..Fed Way-Dash Point/Woodmont	8.1	7.0	9.4	37
Issaquah	3.8	3.0	4.7	17
Kenmore/LFP	3.1	2.3	4.0	10
Kent	7.2	6.7	7.8	131
..Kent-East	6.0	5.1	7.1	29
..Kent-SE	7.6	6.8	8.5	65
..Kent-West	7.7	6.6	8.9	37
Kirkland	3.0	2.5	3.6	28
..Kirkland	3.3	2.6	4.0	18
..Kirkland North	2.7	2.0	3.5	10
Mercer Isle/Pt Cities	1.4	0.7	2.5	2
Newcastle/Four Creeks	4.5	3.4	5.8	12
North Highline	5.7	4.5	7.1	15
Redmond	3.5	2.9	4.1	27
Renton	5.3	4.8	5.8	87
..Renton-East	4.4	3.6	5.4	21
..Renton-North	5.2	4.3	6.2	23
..Renton-South	5.9	5.2	6.8	43
Sammamish	2.9	2.2	3.6	13
SeaTac/Tukwila	8.2	7.3	9.2	61
Seattle	3.4	3.2	3.6	220
..Ballard	2.6	2.1	3.2	16
..Beacon/Gtown/S.Park	5.2	4.4	6.2	26
..Capitol Hill/E.lake	2.6	1.9	3.5	9
..Central Seattle	4.5	3.7	5.4	22
..Delridge	3.6	2.8	4.4	16
..Downtown	5.9	4.7	7.4	16
..Fremont/Greenlake	1.9	1.4	2.5	10
..NE Seattle	2.2	1.7	2.8	13
..North Seattle	3.5	2.8	4.3	17
..NW Seattle	3.8	3.1	4.7	18
..QA/Magnolia	2.2	1.7	2.9	12
..SE Seattle	5.3	4.5	6.2	31
..West Seattle	2.4	1.9	3.1	14
Shoreline	3.7	2.9	4.5	16
Snoqualmie/North Bend/Skykomish	3.9	3.2	4.7	20
Vashon Island	10.1	6.7	14.7	5

Comparisons:

Higher than King County rate (yellow)

Lower than King County rate (green)

Notes:

Source: WAState DOH, Center for Health Statistics, Birth Certificates.

Prepared by Public Health - Seattle & King County, APDE, 01/2015.

*Rate = per 100 live births.


CI is 95% Confidence Interval.

* Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution.


Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

Late (3rd) or no prenatal care by health reporting areas King County, 2008-2012 average



Note: HRA labels on the map match the chart on the right, listed in alphabetical order
Source: WA State DOH, Center for Health Statistics, Birth Certificates.
Prepared by Public Health - Seattle & King County, APDE, 01/2015.
^Rate = per 100 live births.

Late (3rd) or no prenatal care
King County, 2000-2012, three-year rolling averages



Source: WA State DOH, Center for Health Statistics, Birth Certificates.
 Prepared by Public Health - Seattle & King County, APDE, 01/2015.